HB5284 Enrolled

1

AN ACT concerning safety.

## 2 Be it enacted by the People of the State of Illinois, 3 represented in the General Assembly:

Section 1. Short title. This Act may be cited as the Carbon
Monoxide Alarm Detector Act.

6 Section 5. Definitions. In this Act:

7 "Approved carbon monoxide alarm" or "alarm" means a carbon 8 monoxide alarm that complies with all the requirements of the 9 rules and regulations of the Illinois State Fire Marshal, bears 10 the label of a nationally recognized testing laboratory, and 11 complies with the most recent standards of the Underwriters 12 Laboratories or the Canadian Standard Association.

"Dwelling unit" means a room or suite of rooms used for human habitation, and includes a single family residence as well as each living unit of a multiple family residence and each living unit in a mixed use building.

17 Section 10. Carbon monoxide detector.

18 (a) Every dwelling unit shall be equipped with at least one approved carbon monoxide alarm in an operating condition within 19 20 15 feet of every room used for sleeping purposes. The carbon 21 monoxide alarm may be combined with smoke detecting devices 22 provided that the combined unit complies with the respective provisions of the administrative code, reference standards, 23 24 and departmental rules relating to both smoke detecting devices 25 and carbon monoxide alarms and provided that the combined unit emits an alarm in a manner that clearly differentiates the 26 27 hazard.

(b) Every structure that contains more than one dwelling unit shall contain at least one approved carbon monoxide alarm in operating condition within 15 feet of every room used for sleeping purposes. HB5284 Enrolled

1 (c) It is the responsibility of the owner of a structure to 2 required alarms. supply and install all It is the responsibility of a tenant to test and to provide general 3 4 maintenance for the alarms within the tenant's dwelling unit or 5 rooming unit, and to notify the owner or the authorized agent 6 of the owner in writing of any deficiencies that the tenant cannot correct. The owner is responsible for providing one 7 tenant per dwelling unit with written information regarding 8 9 alarm testing and maintenance.

The tenant is responsible for replacement of any required 10 11 batteries in the carbon monoxide alarms in the tenant's 12 dwelling unit, except that the owner shall ensure that the batteries are in operating condition at the time the tenant 13 takes possession of the dwelling unit. The tenant shall provide 14 15 the owner or the authorized agent of the owner with access to 16 the dwelling unit to correct any deficiencies in the carbon 17 monoxide alarm that have been reported in writing to the owner or the authorized agent of the owner. 18

(d) The carbon monoxide alarms required under this Act may be either battery powered, plug-in with battery back-up, or wired into the structure's AC power line with secondary battery back-up.

23 Section 15. Violation.

(a) Willful failure to install or maintain in operating
 condition any carbon monoxide alarm required by this Act is a
 Class B misdemeanor.

(b) Tampering with, removing, destroying, disconnecting, or removing the batteries from any installed carbon monoxide alarm, except in the course of inspection, maintenance, or replacement of the alarm, is a Class A misdemeanor in the case of a first conviction and a Class 4 felony in the case of a second or subsequent conviction.

33 Section 20. Exemptions. The following residential units34 shall not require carbon monoxide detectors:

HB5284 Enrolled

1 (1) A residential unit in a building that: (i) does not 2 rely on combustion of fossil fuel for heat, ventilation, or 3 hot water; (ii) is not connected in any way to a garage; 4 and (iii) is not sufficiently close to any ventilated 5 source of carbon monoxide, as determined by the local 6 building commissioner, to receive carbon monoxide from 7 that source.

8 (2) A residential unit that is not sufficiently close 9 to any source of carbon monoxide so as to be at risk of 10 receiving carbon monoxide from that source, as determined 11 by the local building commissioner.