

**HB3680**



**100TH GENERAL ASSEMBLY**

**State of Illinois**

**2017 and 2018**

**HB3680**

by Rep. Brandon W. Phelps

**SYNOPSIS AS INTRODUCED:**

720 ILCS 570/204

from Ch. 56 1/2, par. 1204

Amends the Illinois Controlled Substances Act. Adds 3,4-Dichloro-N-[2-(dimethylamino)cyclohexyl]-N-methylbenzamide (some trade or other name: pink; U-47700) as a Schedule I controlled substance.

LRB100 10855 RLC 21089 b

**A BILL FOR**

1 AN ACT concerning criminal law.

2 **Be it enacted by the People of the State of Illinois,**  
3 **represented in the General Assembly:**

4 Section 5. The Illinois Controlled Substances Act is  
5 amended by changing Section 204 as follows:

6 (720 ILCS 570/204) (from Ch. 56 1/2, par. 1204)

7 Sec. 204. (a) The controlled substances listed in this  
8 Section are included in Schedule I.

9 (b) Unless specifically excepted or unless listed in  
10 another schedule, any of the following opiates, including their  
11 isomers, esters, ethers, salts, and salts of isomers, esters,  
12 and ethers, whenever the existence of such isomers, esters,  
13 ethers and salts is possible within the specific chemical  
14 designation:

15 (1) Acetylmethadol;

16 (1.1) Acetyl-alpha-methylfentanyl

17 (N-[1-(1-methyl-2-phenethyl)-

18 4-piperidinyl]-N-phenylacetamide);

19 (2) Allylprodine;

20 (3) Alphacetylmethadol, except

21 levo-alphacetylmethadol (also known as levo-alpha-  
22 acetylmethadol, levomethadyl acetate, or LAAM);

23 (4) Alphameprodine;

- 1 (5) Alphamethadol;
- 2 (6) Alpha-methylfentanyl
- 3 (N-(1-alpha-methyl-beta-phenyl) ethyl-4-piperidyl)
- 4 propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-
- 5 propanilido) piperidine;
- 6 (6.1) Alpha-methylthiofentanyl
- 7 (N-[1-methyl-2-(2-thienyl) ethyl-
- 8 4-piperidinyl]-N-phenylpropanamide);
- 9 (7) 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP);
- 10 (7.1) PEPAP
- 11 (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
- 12 (8) Benzethidine;
- 13 (9) Betacetylmethadol;
- 14 (9.1) Beta-hydroxyfentanyl
- 15 (N-[1-(2-hydroxy-2-phenethyl)-
- 16 4-piperidinyl]-N-phenylpropanamide);
- 17 (10) Betameprodine;
- 18 (11) Betamethadol;
- 19 (12) Betaprodine;
- 20 (13) Clonitazene;
- 21 (14) Dextromoramide;
- 22 (15) Diampromide;
- 23 (16) Diethylthiambutene;
- 24 (17) Difenoazin;
- 25 (18) Dimenoxadol;
- 26 (19) Dimepheptanol;

- 1 (20) Dimethylthiambutene;
- 2 (21) Dioxaphetylbutyrate;
- 3 (22) Dipipanone;
- 4 (23) Ethylmethylthiambutene;
- 5 (24) Etonitazene;
- 6 (25) Etoxeridine;
- 7 (26) Furethidine;
- 8 (27) Hydroxpethidine;
- 9 (28) Ketobemidone;
- 10 (29) Levomoramide;
- 11 (30) Levophenacymorphan;
- 12 (31) 3-Methylfentanyl
- 13 (N-[3-methyl-1-(2-phenylethyl)-
- 14 4-piperidyl]-N-phenylpropanamide);
- 15 (31.1) 3-Methylthiofentanyl
- 16 (N-[(3-methyl-1-(2-thienyl)ethyl-
- 17 4-piperidinyl]-N-phenylpropanamide);
- 18 (32) Morpheridine;
- 19 (33) Noracymethadol;
- 20 (34) Norlevorphanol;
- 21 (35) Normethadone;
- 22 (36) Norpipanone;
- 23 (36.1) Para-fluorofentanyl
- 24 (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-
- 25 4-piperidinyl]propanamide);
- 26 (37) Phenadoxone;

- 1 (38) Phenampromide;  
2 (39) Phenomorphan;  
3 (40) Phenoperidine;  
4 (41) Piritramide;  
5 (42) Proheptazine;  
6 (43) Properidine;  
7 (44) Propiram;  
8 (45) Racemoramide;  
9 (45.1) Thiofentanyl  
10 (N-phenyl-N-[1-(2-thienyl)ethyl-  
11 4-piperidinyl]-propanamide);  
12 (46) Tilidine;  
13 (47) Trimeperidine;  
14 (48) Beta-hydroxy-3-methylfentanyl (other name:  
15 N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-  
16 N-phenylpropanamide).

17 (c) Unless specifically excepted or unless listed in  
18 another schedule, any of the following opium derivatives, its  
19 salts, isomers and salts of isomers, whenever the existence of  
20 such salts, isomers and salts of isomers is possible within the  
21 specific chemical designation:

- 22 (1) Acetorphine;  
23 (2) Acetyldihydrocodeine;  
24 (3) Benzylmorphine;  
25 (4) Codeine methylbromide;  
26 (5) Codeine-N-Oxide;

- 1 (6) Cyprenorphine;
- 2 (7) Desomorphine;
- 3 (8) Diacetyldihydromorphine (Dihydroheroin);
- 4 (9) Dihydromorphine;
- 5 (10) Drotebanol;
- 6 (11) Etorphine (except hydrochloride salt);
- 7 (12) Heroin;
- 8 (13) Hydromorphanol;
- 9 (14) Methyldesorphine;
- 10 (15) Methyldihydromorphine;
- 11 (16) Morphine methylbromide;
- 12 (17) Morphine methylsulfonate;
- 13 (18) Morphine-N-Oxide;
- 14 (19) Myrophine;
- 15 (20) Nicocodeine;
- 16 (21) Nicomorphine;
- 17 (22) Normorphine;
- 18 (23) Pholcodine;
- 19 (24) Thebacon.

20 (d) Unless specifically excepted or unless listed in  
21 another schedule, any material, compound, mixture, or  
22 preparation which contains any quantity of the following  
23 hallucinogenic substances, or which contains any of its salts,  
24 isomers and salts of isomers, whenever the existence of such  
25 salts, isomers, and salts of isomers is possible within the  
26 specific chemical designation (for the purposes of this

1 paragraph only, the term "isomer" includes the optical,  
2 position and geometric isomers):

3 (1) 3,4-methylenedioxyamphetamine

4 (alpha-methyl,3,4-methylenedioxyphenethylamine,  
5 methylenedioxyamphetamine, MDA);

6 (1.1) Alpha-ethyltryptamine

7 (some trade or other names: etryptamine;  
8 MONASE; alpha-ethyl-1H-indole-3-ethanamine;  
9 3-(2-aminobutyl)indole; a-ET; and AET);

10 (2) 3,4-methylenedioxymethamphetamine (MDMA);

11 (2.1) 3,4-methylenedioxy-N-ethylamphetamine

12 (also known as: N-ethyl-alpha-methyl-  
13 3,4(methylenedioxy) Phenethylamine, N-ethyl MDA, MDE,  
14 and MDEA);

15 (2.2) N-Benzylpiperazine (BZP);

16 (2.2-1) Trifluoromethylphenylpiperazine (TFMPP);

17 (3) 3-methoxy-4,5-methylenedioxyamphetamine, (MMDA);

18 (4) 3,4,5-trimethoxyamphetamine (TMA);

19 (5) (Blank);

20 (6) Diethyltryptamine (DET);

21 (7) Dimethyltryptamine (DMT);

22 (7.1) 5-Methoxy-diallyltryptamine;

23 (8) 4-methyl-2,5-dimethoxyamphetamine (DOM, STP);

24 (9) Ibogaine (some trade and other names:

25 7-ethyl-6,6,beta,7,8,9,10,12,13-octahydro-2-methoxy-  
26 6,9-methano-5H-pyrido [1',2':1,2] azepino [5,4-b]

1 indole; Tabernanthe iboga);

2 (10) Lysergic acid diethylamide;

3 (10.1) Salvinorin A;

4 (10.5) Salvia divinorum (meaning all parts of the plant  
5 presently classified botanically as Salvia divinorum,  
6 whether growing or not, the seeds thereof, any extract from  
7 any part of that plant, and every compound, manufacture,  
8 salts, isomers, and salts of isomers whenever the existence  
9 of such salts, isomers, and salts of isomers is possible  
10 within the specific chemical designation, derivative,  
11 mixture, or preparation of that plant, its seeds or  
12 extracts);

13 (11) 3,4,5-trimethoxyphenethylamine (Mescaline);

14 (12) Peyote (meaning all parts of the plant presently  
15 classified botanically as Lophophora williamsii Lemaire,  
16 whether growing or not, the seeds thereof, any extract from  
17 any part of that plant, and every compound, manufacture,  
18 salts, derivative, mixture, or preparation of that plant,  
19 its seeds or extracts);

20 (13) N-ethyl-3-piperidyl benzilate (JB 318);

21 (14) N-methyl-3-piperidyl benzilate;

22 (14.1) N-hydroxy-3,4-methylenedioxyamphetamine

23 (also known as N-hydroxy-alpha-methyl-

24 3,4(methylenedioxy)phenethylamine and N-hydroxy MDA);

25 (15) Parahexyl; some trade or other names:

26 3-hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-



1           dibenzo (b,d) pyran; Synhexyl;  
2           (16) Psilocybin;  
3           (17) Psilocyn;  
4           (18) Alpha-methyltryptamine (AMT);  
5           (19) 2,5-dimethoxyamphetamine  
6           (2,5-dimethoxy-alpha-methylphenethylamine; 2,5-DMA);  
7           (20) 4-bromo-2,5-dimethoxyamphetamine  
8           (4-bromo-2,5-dimethoxy-alpha-methylphenethylamine;  
9           4-bromo-2,5-DMA);  
10          (20.1) 4-Bromo-2,5 dimethoxyphenethylamine.  
11          Some trade or other names: 2-(4-bromo-  
12          2,5-dimethoxyphenyl)-1-aminoethane;  
13          alpha-desmethyl DOB, 2CB, Nexus;  
14          (21) 4-methoxyamphetamine  
15          (4-methoxy-alpha-methylphenethylamine;  
16          paramethoxyamphetamine; PMA);  
17          (22) (Blank);  
18          (23) Ethylamine analog of phencyclidine.  
19          Some trade or other names:  
20          N-ethyl-1-phenylcyclohexylamine,  
21          (1-phenylcyclohexyl) ethylamine,  
22          N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE;  
23          (24) Pyrrolidine analog of phencyclidine. Some trade  
24          or other names: 1-(1-phenylcyclohexyl) pyrrolidine, PCPy,  
25          PHP;  
26          (25) 5-methoxy-3,4-methylenedioxy-amphetamine;

- 1 (26) 2,5-dimethoxy-4-ethylamphetamine  
2 (another name: DOET);
- 3 (27) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine  
4 (another name: TCPy);
- 5 (28) (Blank);
- 6 (29) Thiophene analog of phencyclidine (some trade  
7 or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine;  
8 2-thienyl analog of phencyclidine; TPCP; TCP);
- 9 (30) Bufotenine (some trade or other names:  
10 3-(Beta-Dimethylaminoethyl)-5-hydroxyindole;  
11 3-(2-dimethylaminoethyl)-5-indolol;  
12 5-hydroxy-N,N-dimethyltryptamine;  
13 N,N-dimethylserotonin; mappine);
- 14 (31) 1-Pentyl-3-(1-naphthoyl)indole  
15 Some trade or other names: JWH-018;
- 16 (32) 1-Butyl-3-(1-naphthoyl)indole  
17 Some trade or other names: JWH-073;
- 18 (33) 1-[(5-fluoropentyl)-1H-indol-3-yl]-  
19 (2-iodophenyl)methanone  
20 Some trade or other names: AM-694;
- 21 (34) 2-[(1R,3S)-3-hydroxycyclohexyl]-5-  
22 (2-methyloctan-2-yl)phenol  
23 Some trade or other names: CP 47,497  
24 and its C6, C8 and C9 homologs;
- 25 (34.5) 2-[(1R,3S)-3-hydroxycyclohexyl]-5-  
26 (2-methyloctan-2-yl)phenol), where side chain n=5;

1 and homologues where side chain n=4, 6, or 7; Some  
2 trade or other names: CP 47,497;

3 (35) (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-  
4 (2-methyloctan-2-yl)-6a,7,  
5 10,10a-tetrahydrobenzo[c]chromen-1-ol

6 Some trade or other names: HU-210;

7 (35.5) (6aS,10aS)-9-(hydroxymethyl)-6,6-  
8 dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-  
9 tetrahydrobenzo[c]chromen-1-ol, its isomers,  
10 salts, and salts of isomers; Some trade or other  
11 names: HU-210, Dexanabinol;

12 (36) Dexanabinol, (6aS,10aS)-9-(hydroxymethyl)-  
13 6,6-dimethyl-3-(2-methyloctan-2-yl)-  
14 6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol  
15 Some trade or other names: HU-211;

16 (37) (2-methyl-1-propyl-1H-indol-  
17 3-yl)-1-naphthalenyl-methanone  
18 Some trade or other names: JWH-015;

19 (38) 4-methoxynaphthalen-1-yl-  
20 (1-pentylindol-3-yl)methanone  
21 Some trade or other names: JWH-081;

22 (39) 1-Pentyl-3-(4-methyl-1-naphthoyl)indole  
23 Some trade or other names: JWH-122;

24 (40) 2-(2-methylphenyl)-1-(1-pentyl-  
25 1H-indol-3-yl)-ethanone  
26 Some trade or other names: JWH-251;

1 (41) 1-(2-cyclohexylethyl)-3-

2 (2-methoxyphenylacetyl)indole

3 Some trade or other names: RCS-8, BTW-8 and SR-18;

4 (42) Any compound structurally derived from

5 3-(1-naphthoyl)indole or 1H-indol-3-yl-

6 (1-naphthyl)methane by substitution at the

7 nitrogen atom of the indole ring by alkyl, haloalkyl,

8 alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide,

9 alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl,

10 or 2-(4-morpholinyl)ethyl whether or not further

11 substituted in the indole ring to any extent, whether

12 or not substituted in the naphthyl ring to any extent.

13 Examples of this structural class include, but are

14 not limited to, JWH-018, AM-2201, JWH-175, JWH-184,

15 and JWH-185;

16 (43) Any compound structurally derived from

17 3-(1-naphthoyl)pyrrole by substitution at the nitrogen

18 atom of the pyrrole ring by alkyl, haloalkyl, alkenyl,

19 cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl

20 aryl halide, 1-(N-methyl-2-piperidinyl)methyl,

21 or 2-(4-morpholinyl)ethyl, whether or not further

22 substituted in the pyrrole ring to any extent, whether

23 or not substituted in the naphthyl ring to any extent.

24 Examples of this structural class include, but are not

25 limited to, JWH-030, JWH-145, JWH-146, JWH-307, and

26 JWH-368;

1           (44) Any compound structurally derived from  
2           1-(1-naphthylmethyl)indene by substitution  
3           at the 3-position of the indene ring by alkyl, haloalkyl,  
4           alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl  
5           halide, alkyl aryl halide, 1-(N-methyl-  
6           2-piperidinyl)methyl, or 2-(4-  
7           morpholinyl)ethyl whether or not further substituted in  
8           the indene ring to any extent, whether or not substituted  
9           in the naphthyl ring to any extent. Examples of  
10          this structural class include, but are not  
11          limited to, JWH-176;

12          (45) Any compound structurally derived from  
13          3-phenylacetylindole by substitution at the  
14          nitrogen atom of the indole ring with alkyl, haloalkyl,  
15          alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl  
16          halide, alkyl aryl halide, 1-(N-methyl-2-  
17          piperidinyl)methyl, or 2-(4-morpholinyl)ethyl,  
18          whether or not further substituted in the indole ring  
19          to any extent, whether or not substituted in the phenyl  
20          ring to any extent. Examples of this structural  
21          class include, but are not limited to, JWH-167,  
22          JWH-250, JWH-251, and RCS-8;

23          (46) Any compound structurally derived from  
24          2-(3-hydroxycyclohexyl)phenol by substitution  
25          at the 5-position of the phenolic ring by alkyl,  
26          haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,

1 aryl halide, alkyl aryl halide, 1-(N-methyl-2-  
2 piperidinyl)methyl, or 2-(4-morpholinyl)ethyl,  
3 whether or not substituted in the cyclohexyl ring to any  
4 extent. Examples of this structural class  
5 include, but are not limited to, CP 47,  
6 497 and its C8 homologue (cannabicyclohexanol);

7 (46.1) Benzoylindoles: Any compound  
8 containing a 3-(benzoyl) indole structure with  
9 substitution at the nitrogen atom of the  
10 indole ring by an alkyl, haloalkyl, alkenyl,  
11 cycloalkylmethyl, cycloalkylethyl,  
12 1-(N-methyl-2-piperidinyl)methyl,  
13 or 2-(4-morpholinyl)ethyl group  
14 whether or not further substituted  
15 in the indole ring to any extent and  
16 whether or not substituted in the phenyl ring  
17 to any extent. Examples of this structural class  
18 include, but are not limited, to, AM-630,  
19 AM-2233, AM-694, Pravadoline (WIN 48,098), and RCS-4;

20 (47) 3,4-Methylenedioxymethcathinone  
21 Some trade or other names: Methylone;

22 (48) 3,4-Methyenedioxypyrovalerone  
23 Some trade or other names: MDPV;

24 (49) 4-Methylmethcathinone  
25 Some trade or other names: Mephedrone;

26 (50) 4-methoxymethcathinone;

- 1 (51) 4-Fluoromethcathinone;
- 2 (52) 3-Fluoromethcathinone;
- 3 (53) 2,5-Dimethoxy-4-(n)-propylthio-
- 4 phenethylamine;
- 5 (54) 5-Methoxy-N,N-diisopropyltryptamine;
- 6 (55) Pentedrone;
- 7 (56) 4-iodo-2,5-dimethoxy-N-(2-methoxy
- 8 phenyl)methyl)-benzeneethanamine
- 9 (trade or other name: 25I-NBOMe);
- 10 (57) 4-chloro-2,5-dimethoxy-N-(2-methoxyphenyl)
- 11 methyl)-benzeneethanamine (trade or other name:
- 12 25C-NBOMe);
- 13 (58) 4-bromo-2,5-dimethoxy-N-(2-methoxyphenyl)
- 14 methyl)-benzeneethanamine (trade or other name:
- 15 25B-NBOMe);
- 16 (59) 3-cyclopropoylindole with
- 17 substitution at the nitrogen atom of the
- 18 indole ring by alkyl, haloalkyl, alkenyl,
- 19 cycloalkylmethyl, cycloalkylethyl, aryl
- 20 halide, alkyl aryl halide,
- 21 1-(N-methyl-2-piperidinyl)methyl, or
- 22 2-(4-morpholinyl)ethyl, whether or not
- 23 further substituted on the indole ring
- 24 to any extent, whether or not substituted
- 25 on the cyclopropyl ring to any extent:
- 26 including, but not limited to, XLR11,

1 UR144, FUB-144;

2 (60) 3-adamantoylindole with  
3 substitution at the nitrogen atom of the  
4 indole ring by alkyl, haloalkyl, alkenyl,  
5 cycloalkylmethyl, cycloalkylethyl,  
6 aryl halide, alkyl aryl halide,  
7 1-(N-methyl-2-piperidinyl)methyl, or  
8 2-(4-morpholinyl)ethyl, whether or not  
9 further substituted on the indole ring to  
10 any extent, whether or not substituted on  
11 the adamantyl ring to any extent: including,     
12 but not limited to,    AB-001;

13 (61) N-(adamantyl)-indole-3-carboxamide  
14 with substitution at the nitrogen atom of the  
15 indole ring by alkyl, haloalkyl, alkenyl,  
16 cycloalkylmethyl, cycloalkylethyl, aryl halide,  
17 alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl,  
18 or 2-(4-morpholinyl)ethyl, whether or not further  
19 substituted on the indole ring to any extent, whether  
20 or not substituted on the adamantyl ring to any  
21 extent: including,    but not limited to,     
22 APICA/2NE-1, STS-135;

23 (62) N-(adamantyl)-indazole-3-carboxamide  
24 with substitution at a nitrogen atom of the indazole  
25 ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl,  
26 cycloalkylethyl, aryl halide, alkyl aryl halide,



1 1-(N-methyl-2-piperidinyl)methyl, or  
2 2-(4-morpholinyl)ethyl, whether or not further  
3 substituted on the indazole ring to any extent,  
4 whether or not substituted on the adamantyl  
5 ring to any extent: including    but not limited  
6 to    AKB48, 5F-AKB48;

7 (63) 1H-indole-3-carboxylic acid 8-quinolinyl  
8 ester with substitution at the nitrogen atom of the  
9 indole ring by alkyl, haloalkyl, alkenyl,  
10 cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl  
11 aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or  
12 2-(4-morpholinyl)ethyl, whether or not further  
13 substituted on the indole ring to any extent,  
14 whether or not substituted on the quinoline ring  
15 to any extent: including    but not limited to    PB22,  
16 5F-PB22, FUB-PB-22;

17 (64) 3-(1-naphthoyl)indazole with  
18 substitution at the nitrogen atom of the  
19 indazole ring by alkyl, haloalkyl,  
20 alkenyl, cycloalkylmethyl, cycloalkylethyl,  
21 aryl halide, alkyl aryl halide,  
22 1-(N-methyl-2-piperidinyl)methyl, or  
23 2-(4-morpholinyl)ethyl, whether or not further  
24 substituted on the indazole ring to any extent,  
25 whether or not substituted on the naphthyl ring  
26 to any extent: including    but not limited to

1 THJ-018, THJ-2201;

2 (65) 2-(1-naphthoyl)benzimidazole with  
3 substitution at the nitrogen atom of the benzimidazole  
4 ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl,  
5 cycloalkylethyl, aryl halide, alkyl aryl halide,  
6 1-(N-methyl-2-piperidinyl)methyl, or  
7 2-(4-morpholinyl)ethyl, whether or not further  
8 substituted on the benzimidazole ring to any extent,  
9 whether or not substituted on the naphthyl ring to  
10 any extent: including, but not limited to, FUBIMINA;

11 (66) N-(1-amino-3-methyl-1-oxobutan-2-yl)  
12 -1H-indazole-3-carboxamide with substitution on the  
13 nitrogen atom of the indazole ring by alkyl,  
14 haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,  
15 aryl halide, alkyl aryl halide, 1-(N-methyl-2-  
16 piperidinyl)methyl, or 2-(4-morpholinyl)ethyl,  
17 whether or not further substituted on the indazole  
18 ring to any extent: including, but not limited to,  
19 AB-PINACA, AB-FUBINACA, AB-CHMINACA;

20 (67) N-(1-amino-3,3-dimethyl-1-oxobutan-  
21 2-yl)-1H-indazole-3-carboxamide with substitution  
22 on the nitrogen atom of the indazole ring by alkyl,  
23 haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl,  
24 aryl halide, alkyl aryl halide, 1-(N-methyl-2-  
25 piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether  
26 or not further substituted on the indazole ring to any

1 extent: including, but not limited to,

2 ADB-PINACA, ADB-FUBINACA;

3 (68) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-  
4 1H-indole-3-carboxamide with substitution on the nitrogen  
5 atom of the indole ring by alkyl, haloalkyl, alkenyl,  
6 cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl  
7 aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or  
8 2-(4-morpholinyl)ethyl, whether or not further  
9 substituted on the indole ring to any extent:

10 including, but not limited to, ADBICA, 5F-ADBICA;

11 (69) N-(1-amino-3-methyl-1-oxobutan-2-yl)-  
12 1H-indole-3-carboxamide with substitution on the  
13 nitrogen atom of the indole ring by alkyl, haloalkyl,  
14 alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl  
15 halide, alkyl aryl halide, 1-(N-methyl-2-  
16 piperidinyl)methyl, or 2-(4-morpholinyl)ethyl,  
17 whether or not further substituted on the indole  
18 ring to any extent: including, but not limited  
19 to, ABICA, 5F-ABICA;

20 (70) Methyl 2-(1H-indazole-3-carboxamido)-  
21 3-methylbutanoate with substitution on the nitrogen  
22 atom of the indazole ring by alkyl, haloalkyl,  
23 alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl  
24 halide, alkyl aryl halide, 1-(N-methyl-2-  
25 piperidinyl)methyl, or 2-(4-morpholinyl)ethyl,  
26 whether or not further substituted on the indazole

1 ring to any extent: including, but not  
2 limited to, AMB, 5F-AMB;  
3 (71) 3,4-Dichloro-N-[2-(dimethylamino)  
4 cyclohexyl]-N-methylbenzamide (Some trade or other  
5 name: pink; U-47700).

6 (e) Unless specifically excepted or unless listed in  
7 another schedule, any material, compound, mixture, or  
8 preparation which contains any quantity of the following  
9 substances having a depressant effect on the central nervous  
10 system, including its salts, isomers, and salts of isomers  
11 whenever the existence of such salts, isomers, and salts of  
12 isomers is possible within the specific chemical designation:

- 13 (1) mecloqualone;  
14 (2) methaqualone; and  
15 (3) gamma hydroxybutyric acid.

16 (f) Unless specifically excepted or unless listed in  
17 another schedule, any material, compound, mixture, or  
18 preparation which contains any quantity of the following  
19 substances having a stimulant effect on the central nervous  
20 system, including its salts, isomers, and salts of isomers:

- 21 (1) Fenethylamine;  
22 (2) N-ethylamphetamine;  
23 (3) Aminorex (some other names:  
24 2-amino-5-phenyl-2-oxazoline; aminoxaphen;  
25 4-5-dihydro-5-phenyl-2-oxazolamine) and its  
26 salts, optical isomers, and salts of optical isomers;

1           (4) Methcathinone (some other names:  
2           2-methylamino-1-phenylpropan-1-one;  
3           Ephedrone; 2-(methylamino)-propiofenone;  
4           alpha-(methylamino)propiofenone; N-methylcathinone;  
5           methcathinone; Monomethylpropion; UR 1431) and its  
6           salts, optical isomers, and salts of optical isomers;

7           (5) Cathinone (some trade or other names:  
8           2-aminopropiofenone; alpha-aminopropiofenone;  
9           2-amino-1-phenyl-propanone; norephedrone);

10          (6) N,N-dimethylamphetamine (also known as:  
11          N,N-alpha-trimethyl-benzeneethanamine;  
12          N,N-alpha-trimethylphenethylamine);

13          (7) (+ or -) cis-4-methylaminorex ((+ or -) cis-  
14          4,5-dihydro-4-methyl-4-5-phenyl-2-oxazolamine);

15          (8) 3,4-Methylenedioxypropylvalerone (MDPV).

16          (g) Temporary listing of substances subject to emergency  
17          scheduling. Any material, compound, mixture, or preparation  
18          that contains any quantity of the following substances:

19               (1) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide  
20               (benzylfentanyl), its optical isomers, isomers, salts,  
21               and salts of isomers;

22               (2) N-[1(2-thienyl)  
23               methyl-4-piperidyl]-N-phenylpropanamide (thenylfentanyl),  
24               its optical isomers, salts, and salts of isomers.

25          (h) Synthetic cathinones. Unless specifically excepted,  
26          any chemical compound not including bupropion, structurally

1 derived from 2-aminopropan-1-one by substitution at the  
2 1-position with either phenyl, naphthyl, or thiophene ring  
3 systems, whether or not the compound is further modified in one  
4 or more of the following ways:

5 (1) by substitution in the ring system to  
6 any extent with alkyl, alkylendioxy, alkoxy,  
7 haloalkyl, hydroxyl, or halide substituents, whether  
8 or not further substituted in the ring system  
9 by one or more other univalent substituents.

10 Examples of this class include, but are not  
11 limited to, 3,4-Methylenedioxycathinone  
12 (bk-MDA);

13 (2) by substitution at the 3-position  
14 with an acyclic alkyl substituent. Examples of  
15 this class include, but are not limited to,  
16 2-methylamino-1-phenylbutan-1-one  
17 (buphedrone); or

18 (3) by substitution at the 2-amino nitrogen  
19 atom with alkyl, dialkyl, benzyl, or methoxybenzyl  
20 groups, or by inclusion of the 2-amino nitrogen atom  
21 in a cyclic structure. Examples of this class include,  
22 but are not limited to, Dimethylcathinone, Ethcathinone,  
23 and a-Pyrrolidinopropiophenone (a-PPP).

24 (Source: P.A. 98-987, eff. 1-1-15; 99-371, eff. 1-1-16; revised  
25 10-25-16.)