

## Sen. Chapin Rose

## Filed: 4/3/2019

	10100SB1371sam001	LRB101 09338 AXK 58966 a
1	AMENDMENT TO SENATE	BILL 1371
2	AMENDMENT NO Amend Sen	ate Bill 1371 by replacing
3	everything after the enacting clause	with the following:
4	"Section 5. The School Code is	amended by adding Sections
5	10-20.69 and 34-18.61 as follows:	
6	(105 ILCS 5/10-20.69 new)	
7	Sec. 10-20.69. Door security loc	king means.
8	(a) In this Section, "door secur	city locking means" means a
9	door locking means intended for	use by a trained school
10	district employee in a school bui	lding for the purpose of
11	preventing both ingress and egres	s through a door of the
12	building.	
13	(b) A school district may insta	ll a door security locking
14	means on a door of a school building	to prevent unwanted entry
15	through the door if all of the follow	ring requirements are met:
16	(1) The door security lock	sing means can be engaged

25

26

1	without opening the door.
2	(2) The unlocking and unlatching of the door security
3	locking means from the occupied side of the door can be
4	accomplished without the use of a key or tool.
5	(3) Locks, if remotely engaged, can be unlocked from
6	the occupied side.
7	(4) The door security locking means is capable of being
8	disengaged from the outside by school district employees,
9	and school district employees may use a key or other
10	credentials to unlock the door from the outside.
11	(5) The door security locking means does not modify the
12	door-closing hardware, panic hardware, or fire exit
13	hardware.
14	(6) Any bolts, stops, brackets, or pins employed by the
15	door security locking means do not affect the fire rating
16	of a fire door assembly.
17	(7) School district employees are trained in the
18	engagement and release of the door security locking means,
19	from within and outside the room, as part of the emergency
20	response plan.
21	(8) For doors installed before July 1, 2019 only, the
22	unlocking and unlatching of a door security locking means
23	requires no more than 2 releasing operations. For doors
24	installed on or after July 1, 2019, the unlocking and

unlatching of a door security locking means requires no

more than one releasing operation. If doors installed

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

2.1

22

23

24

25

26

1	before July 1, 2019 are replaced on or after July 1, 2019,
2	the unlocking and unlatching of a door security locking
3	means on the replacement door requires no more than one
4	releasing operation.

- (9) The door security locking means is no more than 48 inches above the finished floor.
- (c) A school district must include the location of any door security locking means and must address the use of the locking and unlocking means from within and outside the room in its filed school safety plan under the School Safety Drill Act. Local law enforcement officials and the local fire department must be notified of the location of any door security locking means and how to disengage it. Any specific tool needed to disengage the door security locking means from the outside of the room must, upon request, be made available to local law enforcement officials and the local fire department.
- (d) A door security locking means may be used only (i) by a school district employee trained under subsection (e), (ii) during an emergency that threatens the health and safety of students and employees or during an active shooter drill, and (iii) when local law enforcement officials and the local fire department have been notified of its installation prior to its use. The door security locking means must be engaged for a finite period of time in accordance with the school district's school safety plan adopted under the School Safety Drill Act.
  - (e) A school district that has installed a door security

- 1 locking means shall conduct an in-service training program for
- school district employees on the proper use of the door 2
- security locking means. The school district shall keep a file 3
- 4 verifying the employees who have completed the program and
- 5 must, upon request, provide the file to its regional office of
- 6 education and the local fire department and local law
- 7 enforcement agency.
- 8 (f) A door security locking means that requires 2 releasing
- 9 operations must be discontinued from use when the door is
- replaced or is a part of new construction. Replacement and new 10
- 11 construction door hardware must include mortise locks,
- compliant with the applicable building code, and must be 12
- 13 lockable from the occupied side without opening the door.
- 14 However, mortise locks are not required if panic hardware or
- 15 fire exit hardware is required.
- (105 ILCS 5/34-18.61 new)16
- 17 Sec. 34-18.61. Door security locking means.
- (a) In this Section, "door security <u>locking means" means a</u> 18
- 19 door locking means intended for use by a trained school
- district employee in a school building for the purpose of 20
- 21 preventing both ingress and egress through a door of the
- 22 building.
- 23 (b) The school district may install a door security locking
- 24 means on a door of a school building to prevent unwanted entry
- 25 through the door if all of the following requirements are met:

1	(1) The door security locking means can be engaged
2	without opening the door.
3	(2) The unlocking and unlatching of the door security
4	locking means from the occupied side of the door can be
5	accomplished without the use of a key or tool.
6	(3) Locks, if remotely engaged, can be unlocked from
7	the occupied side.
8	(4) The door security locking means is capable of being
9	disengaged from the outside by school district employees,
10	and school district employees may use a key or other
11	credentials to unlock the door from the outside.
12	(5) The door security locking means does not modify the
13	door-closing hardware, panic hardware, or fire exit
14	hardware.
15	(6) Any bolts, stops, brackets, or pins employed by the
16	door security locking means do not affect the fire rating
17	of a fire door assembly.
18	(7) School district employees are trained in the
19	engagement and release of the door security locking means,
20	from within and outside the room, as part of the emergency
21	response plan.
22	(8) For doors installed before July 1, 2019 only, the
23	unlocking and unlatching of a door security locking means
24	requires no more than 2 releasing operations. For doors
25	installed on or after July 1, 2019, the unlocking and
26	unlatching of a door security locking means requires no

2.1

1	more than one releasing operation. If doors installed
2	before July 1, 2019 are replaced on or after July 1, 2019,
3	the unlocking and unlatching of a door security locking
4	means on the replacement door requires no more than one
5	releasing operation.

- (9) The door security locking means is no more than 48 inches above the finished floor.
- (c) The school district must include the location of any door security locking means and must address the use of the locking and unlocking means from within and outside the room in its filed school safety plan under the School Safety Drill Act. Local law enforcement officials and the local fire department must be notified of the location of any door security locking means and how to disengage it. Any specific tool needed to disengage the door security locking means from the outside of the room must, upon request, be made available to local law enforcement officials and the local fire department.
- (d) A door security locking means may be used only (i) by a school district employee trained under subsection (e), (ii) during an emergency that threatens the health and safety of students and employees or during an active shooter drill, and (iii) when local law enforcement officials and the local fire department have been notified of its installation prior to its use. The door security locking means must be engaged for a finite period of time in accordance with the school district's school safety plan adopted under the School Safety Drill Act.

- 1 (e) If the school district installs a door security locking 2 means, it must conduct an in-service training program for school district employees on the proper use of the door 3 4 security locking means. The school district shall keep a file 5 verifying the employees who have completed the program and 6 must, upon request, provide the file to the local fire 7 department and local law enforcement agency.
- 8 (f) A door security locking means that requires 2 releasing 9 operations must be discontinued from use when the door is 10 replaced or is a part of new construction. Replacement and new 11 construction door hardware must include mortise locks, compliant with the applicable building code, and must be 12 13 lockable from the occupied side without opening the door. 14 However, mortise locks are not required if panic hardware or 15 fire exit hardware is required.
- Section 99. Effective date. This Act takes effect July 1, 16 2019.". 17