

## Sen. Chapin Rose

## Filed: 4/5/2019

	10100SB1371sam003 LRB101 09338 2	AXK 59348 a
1	AMENDMENT TO SENATE BILL 1371	
2	AMENDMENT NO Amend Senate Bill 1371 by	y replacing
3	everything after the enacting clause with the follow	ing:
4	"Section 5. The School Code is amended by adding	ng Sections
5	10-20.69 and 34-18.61 as follows:	
6	(105 ILCS 5/10-20.69 new)	
7	Sec. 10-20.69. Door security locking means.	
8	(a) In this Section, "door security locking mean	ns" means a
9	door locking means intended for use by a trai	ned school
10	district employee in a school building for the	purpose of
11	preventing both ingress and egress through a do	or of the
12	building.	
13	(b) A school district may install a door securi	ity locking
14	means on a door of a school building to prevent unwa	anted entry
15	through the door if all of the following requirement:	s are met:
16	(1) The door security locking means can	be engaged

without opening the door.

1

2	(2) The unlocking and unlatching of the door security
3	locking means from the occupied side of the door can be
4	accomplished without the use of a key or tool.
5	(3) The door security locking means complies with all
6	applicable State and federal accessibility requirements.
7	(4) Locks, if remotely engaged, can be unlocked from
8	the occupied side.
9	(5) The door security locking means is capable of being
10	disengaged from the outside by school district employees,
11	and school district employees may use a key or other
12	credentials to unlock the door from the outside.
13	(6) The door security locking means does not modify the
14	door-closing hardware, panic hardware, or fire exit
15	hardware.
16	(7) Any bolts, stops, brackets, or pins employed by the
17	door security locking means do not affect the fire rating
18	of a fire door assembly.
19	(8) School district employees are trained in the
20	engagement and release of the door security locking means,
21	from within and outside the room, as part of the emergency
22	response plan.
23	(9) For doors installed before July 1, 2019 only, the
24	unlocking and unlatching of a door security locking means
25	requires no more than 2 releasing operations. For doors
26	installed on or after July 1, 2019, the unlocking and

2.1

unlatching of a door security locking means requires no
more than one releasing operation. If doors installed
before July 1, 2019 are replaced on or after July 1, 2019,
the unlocking and unlatching of a door security locking
means on the replacement door requires no more than one
releasing operation.

- (10) The door security locking means is no more than 48 inches above the finished floor.
- (11) The door security locking means otherwise complies with the school building code prepared by the State Board of Education under Section 2-3.12.
- (c) A school district must include the location of any door security locking means and must address the use of the locking and unlocking means from within and outside the room in its filed school safety plan under the School Safety Drill Act. Local law enforcement officials and the local fire department must be notified of the location of any door security locking means and how to disengage it. Any specific tool needed to disengage the door security locking means from the outside of the room must, upon request, be made available to local law enforcement officials and the local fire department.
- (d) A door security locking means may be used only (i) by a school district employee trained under subsection (e), (ii) during an emergency that threatens the health and safety of students and employees or during an active shooter drill, and (iii) when local law enforcement officials and the local fire

- 1 department have been notified of its installation prior to its
- use. The door security locking means <u>must be engaged for a</u> 2
- finite period of time in accordance with the school district's 3
- 4 school safety plan adopted under the School Safety Drill Act.
- 5 (e) A school district that has installed a door security
- 6 locking means shall conduct an in-service training program for
- school district employees on the proper use of the door 7
- security locking means. The school district shall keep a file 8
- 9 verifying the employees who have completed the program and
- 10 must, upon request, provide the file to its regional office of
- 11 education and the local fire department and local law
- 12 enforcement agency.
- 13 (f) A door security locking means that requires 2 releasing
- 14 operations must be discontinued from use when the door is
- 15 replaced or is a part of new construction. Replacement and new
- construction door hardware must include mortise locks, 16
- compliant with the applicable building code, and must be 17
- lockable from the occupied side without opening the door. 18
- However, mortise locks are not required if panic hardware or 19
- 20 fire exit hardware is required.
- 21 (105 ILCS 5/34-18.61 new)
- 22 Sec. 34-18.61. Door security locking means.
- 23 (a) In this Section, "door security locking means" means a
- 24 door locking means intended for use by a trained school
- district employee in a school building for the purpose of 25

1	preventing both ingress and egress through a door of the
2	building.
3	(b) The school district may install a door security locking
4	means on a door of a school building to prevent unwanted entry
5	through the door if all of the following requirements are met:
6	(1) The door security locking means can be engaged
7	without opening the door.
8	(2) The unlocking and unlatching of the door security
9	locking means from the occupied side of the door can be
10	accomplished without the use of a key or tool.
11	(3) The door security locking means complies with all
12	applicable State and federal accessibility requirements.
13	(4) Locks, if remotely engaged, can be unlocked from
14	the occupied side.
15	(5) The door security locking means is capable of being
16	disengaged from the outside by school district employees,
17	and school district employees may use a key or other
18	credentials to unlock the door from the outside.
19	(6) The door security locking means does not modify the
20	door-closing hardware, panic hardware, or fire exit
21	hardware.
22	(7) Any bolts, stops, brackets, or pins employed by the
23	door security locking means do not affect the fire rating
24	of a fire door assembly.
25	(8) School district employees are trained in the
26	engagement and release of the door security locking means,

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

1	from	within	and	outside	the	room,	as	part	of	the	emergency
2	respo	onse pla	an.								

- (9) For doors installed before July 1, 2019 only, the unlocking and unlatching of a door security locking means requires no more than 2 releasing operations. For doors installed on or after July 1, 2019, the unlocking and unlatching of a door security locking means requires no more than one releasing operation. If doors installed before July 1, 2019 are replaced on or after July 1, 2019, the unlocking and unlatching of a door security locking means on the replacement door requires no more than one releasing operation.
- (10) The door security locking means is no more than 48 inches above the finished floor.
  - (11) The door security locking means otherwise complies with the school building code prepared by the State Board of Education under Section 2-3.12.
- (c) The school district must include the location of any door security locking means and must address the use of the locking and unlocking means from within and outside the room in its filed school safety plan under the School Safety Drill Act. Local law enforcement officials and the local fire department must be notified of the location of any door security locking means and how to disengage it. Any specific tool needed to disengage the door security locking means from the outside of the room must, upon request, be made available to local law

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

enforcement officials and the local fire department.

- (d) A door security locking means may be used only (i) by a school district employee trained under subsection (e), (ii) during an emergency that threatens the health and safety of students and employees or during an active shooter drill, and (iii) when local law enforcement officials and the local fire department have been notified of its installation prior to its use. The door security locking means must be engaged for a finite period of time in accordance with the school district's school safety plan adopted under the School Safety Drill Act.
- (e) If the school district installs a door security locking means, it must conduct an in-service training program for school district employees on the proper use of the door security locking means. The school district shall keep a file verifying the employees who have completed the program and must, upon request, provide the file to the local fire department and local law enforcement agency.
- (f) A door security locking means that requires 2 releasing operations must be discontinued from use when the door is replaced or is a part of new construction. Replacement and new construction door hardware must include mortise locks, compliant with the applicable building code, and must be lockable from the occupied side without opening the door. However, mortise locks are not required if panic hardware or fire exit hardware is required.

- 1 Section 99. Effective date. This Act takes effect July 1,
- 2 2019.".