

Sen. Mike Simmons

Filed: 3/30/2023

	10300SB2278sam002 LRB103 27842 MXP 60275 a
1	AMENDMENT TO SENATE BILL 2278
2	AMENDMENT NO Amend Senate Bill 2278, AS AMENDED,
3	by replacing everything after the enacting clause with the
4	following:
5	"Section 5. The Illinois Vehicle Code is amended by
6	changing Sections 15-107 and 15-116 as follows:
7	(625 ILCS 5/15-107) (from Ch. 95 1/2, par. 15-107)
8	Sec. 15-107. Length of vehicles.
9	(a) The maximum length of a single vehicle on any highway
10	of this State may not exceed 42 feet except the following:
11	(1) Semitrailers.
12	(2) Charter or regulated route buses may be up to 45
13	feet in length, not including energy absorbing bumpers.
14	(a-1) A motor home as defined in Section 1-145.01 may be up
15	to 45 feet in length, not including energy absorbing bumpers.
16	The length limitations described in this subsection (a-1)

10300SB2278sam002

1 shall be exclusive of energy-absorbing bumpers and rear view
2 mirrors.

(b) (Blank).

4 (c) Except as provided in subsections (c-1) and (c-2),
5 combinations of vehicles may not exceed a total of 2 vehicles
6 except the following:

7

3

(1) A truck tractor semitrailer may draw one trailer.

8 (2) A truck tractor semitrailer may draw one converter
9 dolly or one semitrailer.

10 (3) A truck tractor semitrailer may draw one vehicle
11 that is defined in Chapter 1 as special mobile equipment,
12 provided the overall dimension does not exceed 60 feet.

(4) A truck in transit may draw 3 trucks in transit
 coupled together by the triple saddlemount method.

15 (5) Recreational vehicles consisting of 3 vehicles,16 provided the following:

17 (A) The total overall dimension does not exceed 6018 feet.

(B) The towing vehicle is a properly registered
vehicle capable of towing another vehicle using a
fifth-wheel type assembly.

(C) The second vehicle in the combination of
vehicles is a recreational vehicle that is towed by a
fifth-wheel assembly. This vehicle must be properly
registered and must be equipped with brakes,
regardless of weight.

1

2

3

4

(D) The third vehicle must be the lightest of the 3 vehicles and be a trailer or semitrailer designed or used for transporting a boat, all-terrain vehicle, personal watercraft, or motorcycle.

5 (E) The towed vehicles may be only for the use of
6 the operator of the towing vehicle.

7 (F) All vehicles must be properly equipped with
8 operating brakes and safety equipment required by this
9 Code, except the additional brake requirement in
10 subdivision (C) of this subparagraph (5).

11 (6) A tow truck in combination with a disabled vehicle 12 or combination of disabled vehicles, provided the towing 13 vehicle:

14 (A) Is specifically designed as a tow truck having 15 a gross vehicle weight rating of at least 18,000 16 pounds and equipped with air brakes, provided that air brakes are required only if the towing vehicle is 17 towing a vehicle, semitrailer, or tractor-trailer 18 19 combination that is equipped with air brakes. For the 20 purpose of this subsection, gross vehicle weight 21 rating, or GVWR, means the value specified by the 22 manufacturer as the loaded weight of the tow truck.

(B) Is equipped with flashing, rotating, or
oscillating amber lights, visible for at least 500
feet in all directions.

26

(C) Is capable of utilizing the lighting and

braking systems of the disabled vehicle or combination
 of vehicles.

3 (D) Does not engage a tow exceeding 50 highway 4 miles from the initial point of wreck or disablement 5 to a place of repair. Any additional movement of the 6 vehicles may occur only upon issuance of authorization 7 for that movement under the provisions of Sections 8 15-301 through 15-318 of this Code.

9 The Department may by rule or regulation prescribe 10 additional requirements regarding length limitations for a 11 tow truck towing another vehicle.

For purposes of this Section, a tow-dolly that merely serves as substitute wheels for another legally licensed vehicle is considered part of the licensed vehicle and not a separate vehicle.

16 (7) Commercial vehicles consisting of 3 vehicles,17 provided the following:

18 (A) The total overall dimension does not exceed 6519 feet.

(B) The towing vehicle is a properly registered
vehicle capable of towing another vehicle using a
fifth-wheel type assembly or a goose-neck hitch ball.

23 (C) The third vehicle must be the lightest of the 3
24 vehicles and be a trailer or semitrailer.

(D) All vehicles must be properly equipped with
 operating brakes and safety equipment required by this

1	Code.
2	(E) The combination of vehicles must be operated
3	by a person who holds a commercial driver's license
4	(CDL).
5	(F) The combination of vehicles must be en route
6	to a location where new or used trailers are sold by an
7	Illinois or out-of-state licensed new or used trailer
8	dealer.
9	(c-1) A combination of 3 vehicles is allowed access to any
10	State designated highway if:
11	(1) the length of neither towed vehicle exceeds 28.5
12	feet;
13	(2) the overall wheel base of the combination of
14	vehicles does not exceed 62 feet; and
15	(3) the combination of vehicles is en route to a
16	location where new or used trailers are sold by an
17	Illinois or out-of-state licensed new or used trailer
18	dealer.
19	(c-2) A combination of 3 vehicles is allowed access from
20	any State designated highway onto any county, township, or
21	municipal highway for a distance of 5 highway miles for the
22	purpose of delivery or collection of one or both of the towed
23	vehicles if:
24	(1) the length of neither towed vehicle exceeds 28.5
25	feet;
26	(2) the combination of vehicles does not exceed 40,000

-6- LRB103 27842 MXP 60275 a

1 2 pounds in gross weight and 8 feet 6 inches in width;

(3) there is no sign prohibiting that access;

3

4

(4) the route is not being used as a thoroughfare between State designated highways; and

5 (5) the combination of vehicles is en route to a 6 location where new or used trailers are sold by an 7 Illinois or out-of-state licensed new or used trailer 8 dealer.

9 (d) On Class I highways there are no overall length 10 limitations on motor vehicles operating in combinations 11 provided:

12 (1) The length of a semitrailer, unladen or with load,
13 in combination with a truck tractor may not exceed 53
14 feet.

15 (2) The distance between the kingpin and the center of 16 the rear axle of a semitrailer longer than 48 feet, in 17 combination with a truck tractor, may not exceed 45 feet 6 18 inches. The limit contained in this paragraph (2) shall 19 not apply to trailers or semi-trailers used for the 20 transport of livestock as defined by Section 18b-101.

21 (3) The length of a semitrailer or trailer, unladen or 22 with load, operated in a truck tractor-semitrailer-trailer 23 or truck tractor semitrailer-semitrailer combination, may 24 not exceed 28 feet 6 inches.

(4) Maxi-cube combinations, as defined in Chapter 1,
 may not exceed 65 feet overall dimension.

10300SB2278sam002

1 (5) Combinations of vehicles specifically designed to 2 transport motor vehicles or boats may not exceed 65 feet 3 overall dimension. The length limitation is inclusive of 4 front and rear bumpers but exclusive of the overhang of 5 the transported vehicles, as provided in paragraph (i) of 6 this Section.

7 (6) Stinger-steered semitrailer vehicles specifically 8 designed to transport motor vehicles or boats and 9 automobile transporters, as defined in Chapter 1, may not 10 exceed 80 feet overall dimension. The length limitation is 11 inclusive of front and rear bumpers but exclusive of the 12 overhang of the transported vehicles, as provided in 13 paragraph (i) of this Section.

14 (7) A truck in transit transporting 3 trucks coupled
15 together by the triple saddlemount method may not exceed
16 97 feet overall dimension.

17 (8) A towaway trailer transporter combination may not
18 exceed 82 feet overall dimension.

19 Vehicles operating during daylight hours when transporting 20 poles, pipes, machinery, or other objects of a structural 21 nature that cannot readily be dismantled or disassembled are 22 exempt from length limitations, provided that no object may 23 exceed 80 feet in length and the overall dimension of the 24 vehicle including the load may not exceed 100 feet. This 25 exemption does not apply to operation on a Saturday, Sunday, 26 or legal holiday. Legal holidays referred to in this Section

10300SB2278sam002 -8- LRB103 27842 MXP 60275 a

are the days on which the following traditional holidays are
 celebrated: New Year's Day; Memorial Day; Independence Day;
 Labor Day; Thanksgiving Day; and Christmas Day.

Vehicles and loads operated by a public utility while en route to make emergency repairs to public service facilities or properties are exempt from length limitations, provided that during night operations every vehicle and its load must be equipped with a sufficient number of clearance lamps on both sides and marker lamps on the extreme ends of any projecting load to clearly mark the dimensions of the load.

11 A tow truck in combination with a disabled vehicle or 12 combination of disabled vehicles, as provided in paragraph (6) 13 of subsection (c) of this Section, is exempt from length 14 limitations.

15 The length limitations described in this paragraph (d) 16 shall be exclusive of safety and energy conservation devices, 17 such as bumpers, refrigeration units or air compressors and 18 other devices, that the Department may interpret as necessary 19 for safe and efficient operation; except that no device 20 excluded under this paragraph shall have by its design or use 21 the capability to carry cargo.

22 Section 5-35 of the Illinois Administrative Procedure Act 23 relating to procedures for rulemaking shall not apply to the 24 designation of highways under this paragraph (d).

(e) On Class II highways there are no overall length
 limitations on motor vehicles operating in combinations,

1 provided:

(1) The length of a semitrailer, unladen or with load,
in combination with a truck tractor, may not exceed 53
feet overall dimension.

5 (2) The distance between the kingpin and the center of 6 the rear axle of a semitrailer longer than 48 feet, in 7 combination with a truck tractor, may not exceed 45 feet 6 8 inches. The limit contained in this paragraph (2) shall 9 not apply to trailers or semi-trailers used for the 10 transport of livestock as defined by Section 18b-101.

(3) A truck tractor-semitrailer-trailer or truck
tractor semitrailer-semitrailer combination may not exceed
65 feet in dimension from front axle to rear axle.

14 (4) The length of a semitrailer or trailer, unladen or
15 with load, operated in a truck tractor-semitrailer-trailer
16 or truck tractor semitrailer-semitrailer combination, may
17 not exceed 28 feet 6 inches.

18 (5) Maxi-cube combinations, as defined in Chapter 1,
19 may not exceed 65 feet overall dimension.

(6) A combination of vehicles, specifically designed
to transport motor vehicles or boats, may not exceed 65
feet overall dimension. The length limitation is inclusive
of front and rear bumpers but exclusive of the overhang of
the transported vehicles, as provided in paragraph (i) of
this Section.

26

(7) Stinger-steered semitrailer vehicles specifically

10300SB2278sam002 -10- LRB103 27842 MXP 60275 a

designed to transport motor vehicles or boats may not exceed 80 feet overall dimension. The length limitation is inclusive of front and rear bumpers but exclusive of the overhang of the transported vehicles, as provided in paragraph (i) of this Section.

6 (8) A truck in transit transporting 3 trucks coupled 7 together by the triple saddlemount method may not exceed 8 97 feet overall dimension.

9 (9) A towaway trailer transporter combination may not
10 exceed 82 feet overall dimension.

11 Vehicles operating during daylight hours when transporting poles, pipes, machinery, or other objects of a structural 12 nature that cannot readily be dismantled or disassembled are 13 14 exempt from length limitations, provided that no object may 15 exceed 80 feet in length and the overall dimension of the 16 vehicle including the load may not exceed 100 feet. This exemption does not apply to operation on a Saturday, Sunday, 17 or legal holiday. Legal holidays referred to in this Section 18 are the days on which the following traditional holidays are 19 20 celebrated: New Year's Day; Memorial Day; Independence Day; 21 Labor Day; Thanksgiving Day; and Christmas Day.

Vehicles and loads operated by a public utility while en route to make emergency repairs to public service facilities or properties are exempt from length limitations, provided that during night operations every vehicle and its load must be equipped with a sufficient number of clearance lamps on 10300SB2278sam002 -11- LRB103 27842 MXP 60275 a

both sides and marker lamps on the extreme ends of any projecting load to clearly mark the dimensions of the load.

A tow truck in combination with a disabled vehicle or combination of disabled vehicles, as provided in paragraph (6) of subsection (c) of this Section, is exempt from length limitations.

Local authorities, with respect to streets and highways under their jurisdiction, may also by ordinance or resolution allow length limitations of this subsection (e).

10 The length limitations described in this paragraph (e) 11 shall be exclusive of safety and energy conservation devices, 12 such as bumpers, refrigeration units or air compressors and 13 other devices, that the Department may interpret as necessary 14 for safe and efficient operation; except that no device 15 excluded under this paragraph shall have by its design or use 16 the capability to carry cargo.

Section 5-35 of the Illinois Administrative Procedure Act relating to procedures for rulemaking shall not apply to the designation of highways under this paragraph (e).

20 (e-1) (Blank).

(e-2) Except as provided in subsection (e-3), combinations of vehicles over 65 feet in length, with no overall length limitation except as provided in subsections (d) and (e) of this Section, are allowed access as follows:

(1) From a Class I highway onto any street or highway
 for a distance of one highway mile for the purpose of

10300SB2278sam002 -12- LRB103 27842 MXP 60275 a

loading, unloading, food, fuel, repairs, and rest, provided there is no sign prohibiting that access.

3 (2) From a Class I or Class II highway onto any 4 non-designated highway for a distance of 5 highway miles 5 for the purpose of loading, unloading, food, fuel, 6 repairs, and rest if:

7

1

2

(A) there is no sign prohibiting that access; and

8

9

(B) the route is not being used as a thoroughfare between Class I or Class II highways.

10 (e-3) Combinations of vehicles over 65 feet in length 11 operated by household goods carriers or towaway trailer 12 transporter combinations, with no overall length limitations 13 except as provided in subsections (d) and (e) of this Section, 14 have unlimited access to points of loading, unloading, or 15 delivery to or from a manufacturer, distributor, or dealer.

16 (f) On non-designated highways, the maximum length 17 limitations for vehicles in combination are as follows:

(1) A truck tractor in combination with a semitrailer 18 may not exceed 65 feet overall dimension. An agency or 19 20 instrumentality of the State of Illinois or any unit of 21 local government shall not be required to design or 22 construct a new non-designated highway or to widen or 23 otherwise alter a non-designated highway constructed before January 1, 2018 24 to accommodate truck 25 tractor-semitrailer combinations under this paragraph (1). 26 (2) Semitrailers, unladen or with load, may not exceed 1

53 feet overall dimension.

2 (3) A truck tractor-semitrailer-trailer or truck
3 tractor semitrailer-semitrailer may not exceed 60 feet
4 overall dimension.

5 (4) The distance between the kingpin and the center 6 axle of a semitrailer longer than 48 feet, in combination 7 with a truck tractor, may not exceed 42 feet 6 inches. The 8 limit contained in this paragraph (4) shall not apply to 9 trailers or semi-trailers used for the transport of 10 livestock as defined by Section 18b-101.

11 (g) Length limitations in the preceding subsections of 12 this Section 15-107 do not apply to the following:

13 (1) Vehicles operated in the daytime, except on 14 Saturdays, Sundays, or legal holidays, when transporting 15 poles, pipe, machinery, or other objects of a structural nature that cannot readily be dismantled or disassembled, 16 17 provided the overall length of vehicle and load may not exceed 100 feet and no object exceeding 80 feet in length 18 may be transported unless a permit has been obtained as 19 20 authorized in Section 15-301. As used in this Section, 21 "legal holiday" means any of the following days: New 22 Year's Day; Memorial Day; Independence Day; Labor Day; 23 Thanksgiving Day; and Christmas Day.

(2) Vehicles and loads operated by a public utility
 while en route to make emergency repairs to public service
 facilities or properties, but during night operation every

10300SB2278sam002 -14- LRB103 27842 MXP 60275 a

vehicle and its load must be equipped with a sufficient number of clearance lamps on both sides and marker lamps upon the extreme ends of any projecting load to clearly mark the dimensions of the load.

5 (3) A tow truck in combination with a disabled vehicle 6 or combination of disabled vehicles, as provided in 7 paragraph (6) of subsection (c) of this Section, is exempt 8 from length limitations.

9 The towing vehicle, however, may tow any disabled vehicle 10 from the initial point of wreck or disablement to a point where 11 repairs are actually to occur. This movement shall be valid 12 only on State routes. The tower must abide by posted bridge 13 weight limits.

14 All other combinations not listed in this subsection (f) 15 may not exceed 60 feet overall dimension.

16 (h) The load upon any vehicle operated alone, or the load upon the front vehicle of a combination of vehicles, shall not 17 18 extend more than 3 feet beyond the front wheels of the vehicle or the front bumper of the vehicle if it is equipped with a 19 20 front bumper. The provisions of this subsection (h) shall not apply to any vehicle or combination of vehicles specifically 21 22 designed for the collection and transportation of waste, 23 garbage, or recyclable materials during the vehicle's 24 operation in the course of collecting garbage, waste, or 25 recyclable materials if the vehicle is traveling at a speed 26 not in excess of 15 miles per hour during the vehicle's

10300SB2278sam002 -15- LRB103 27842 MXP 60275 a

operation and in the course of collecting garbage, waste, or recyclable materials. However, in no instance shall the load extend more than 7 feet beyond the front wheels of the vehicle or the front bumper of the vehicle if it is equipped with a front bumper.

(i) The load upon the front vehicle of an automobile 6 7 transporter or a stinger-steered vehicle specifically designed 8 to transport motor vehicles shall not extend more than 4 feet 9 beyond the foremost part of the transporting vehicle and the 10 load upon the rear transporting vehicle shall not extend more 11 than 6 feet beyond the rear of the bed or body of the vehicle. This paragraph shall only be applicable upon highways 12 13 designated in paragraphs (d) and (e) of this Section.

(j) Articulated vehicles comprised of 2 sections, neither of which exceeds a length of 42 feet, designed for the carrying of more than 10 persons, may be up to 60 feet in length, not including energy absorbing bumpers, provided that the vehicles are:

operated by or for any public body or motor carrier
 authorized by law to provide public transportation
 services; or

22 2. operated in local public transportation service by
23 any other person and the municipality in which the service
24 is to be provided approved the operation of the vehicle.

25 (j-1) (Blank).

26 (k) Any person who is convicted of violating this Section

10300SB2278sam002

1 is subject to the penalty as provided in paragraph (b) of 2 Section 15-113. 3 (1) (Blank).

4 (Source: P.A. 101-328, eff. 1-1-20; 102-124, eff. 7-23-21.)

5 (625 ILCS 5/15-116)

6 Sec. 15-116. Highway designations.

7 (a) The Department of Transportation shall maintain and
8 provide a listing of all Class I and Class II designated
9 streets and highways as defined in Chapter 1 of this Code.

10 (b) The Department shall also maintain and provide a 11 listing of all local streets or highways that have been 12 designated Class II by local agencies.

13 (c) Local agencies shall be responsible for reporting to 14 the Department all streets and highways under their 15 jurisdiction designated Class II. Local agencies shall also 16 provide to the Department reference contact names and 17 telephone numbers.

(d) The Department shall also maintain and provide an
official map of the Designated State Truck Route System that
includes State and local streets and highways that have been
designated Class I or Class II.

(e) If a unit of local government has no Class II
designated truck routes, the unit of local government shall
affirm to the Department that it has no such truck routes.

25 (f) Each unit of local government <u>shall</u> may report to the

10300SB2278sam002 -17- LRB103 27842 MXP 60275 a

1	Department, and the Department shall post on its official
2	website, any limitations prohibiting the operation of vehicles
3	imposed by ordinance or resolution in the unit of local
4	government's non-designated highway system <u>and any</u>
5	non-designated highway that is not designed and constructed
6	after January 1, 2023 to the overall length dimension of
7	vehicles permitted under paragraph (1) of subsection (f) of
8	<u>Section 15-107</u> .
9	(Source: P.A. 101-328, eff. 1-1-20.)".