

95TH GENERAL ASSEMBLY State of Illinois 2007 and 2008 HB0868

Introduced 2/7/2007, by Rep. Robert S. Molaro

SYNOPSIS AS INTRODUCED:

430 ILCS 135/20

Amends the Carbon Monoxide Alarm Detector Act. Exempts any facility licensed under the Nursing Home Care Act from the requirements of the Act.

LRB095 08823 LCT 29009 b

1 AN ACT concerning public safety.

Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Carbon Monoxide Alarm Detector Act is amended by changing Section 20 as follows:
- 6 (430 ILCS 135/20)

16

17

18

19

- Sec. 20. Exemptions. The following residential units shall not require carbon monoxide detectors:
- 9 (1) A residential unit in a building that: (i) does not
 10 rely on combustion of fossil fuel for heat, ventilation, or
 11 hot water; (ii) is not connected in any way to a garage;
 12 and (iii) is not sufficiently close to any ventilated
 13 source of carbon monoxide, as determined by the local
 14 building commissioner, to receive carbon monoxide from
 15 that source.
 - (2) A residential unit that is not sufficiently close to any source of carbon monoxide so as to be at risk of receiving carbon monoxide from that source, as determined by the local building commissioner.
- 20 (3) Any facility licensed under the Nursing Home Care
 21 Act.
- 22 (Source: P.A. 94-741, eff. 1-1-07.)