1 AN ACT concerning criminal law.

## Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Controlled Substances Act is amended by changing Section 204 as follows:
- 6 (720 ILCS 570/204) (from Ch. 56 1/2, par. 1204)
- Sec. 204. (a) The controlled substances listed in this Section are included in Schedule I.
- 9 (b) Unless specifically excepted or unless listed in 10 another schedule, any of the following opiates, including their 11 isomers, esters, ethers, salts, and salts of isomers, esters, 12 and ethers, whenever the existence of such isomers, esters, 13 ethers and salts is possible within the specific chemical
- 15 (1) Acetylmethadol;

designation:

14

- 16 (1.1) Acetyl-alpha-methylfentanyl
- (N-[1-(1-methyl-2-phenethyl)-
- 18 4-piperidinyl] -N-phenylacetamide);
- 19 (2) Allylprodine;
- 20 (3) Alphacetylmethadol, except
- 21 levo-alphacetylmethadol (also known as levo-alpha-
- 22 acetylmethadol, levomethadyl acetate, or LAAM);
- 23 (4) Alphameprodine;

```
- 2 -
```

```
1
               (5) Alphamethadol;
 2
               (6) Alpha-methylfentanyl
 3
           (N-(1-alpha-methyl-beta-phenyl) ethyl-4-piperidyl)
          propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-
 4
 5
          propanilido) piperidine;
 6
               (6.1) Alpha-methylthiofentanyl
           (N-[1-methyl-2-(2-thienyl)ethyl-
 7
          4-piperidinyl] -N-phenylpropanamide);
 8
 9
               (7) 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP);
10
               (7.1) PEPAP
11
           (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
12
               (8) Benzethidine;
13
               (9) Betacetylmethadol;
               (9.1) Beta-hydroxyfentanyl
14
15
           (N-[1-(2-hydroxy-2-phenethyl)-
16
          4-piperidinyl] -N-phenylpropanamide);
17
               (10) Betameprodine;
18
               (11) Betamethadol;
               (12) Betaprodine;
19
20
               (13) Clonitazene;
21
               (14) Dextromoramide;
22
               (15) Diampromide;
23
               (16) Diethylthiambutene;
               (17) Difenoxin;
24
25
               (18) Dimenoxadol;
26
               (19) Dimepheptanol;
```

```
1
               (20) Dimethylthiambutene;
 2
               (21) Dioxaphetylbutyrate;
 3
               (22) Dipipanone;
               (23) Ethylmethylthiambutene;
 4
 5
               (24) Etonitazene;
 6
               (25) Etoxeridine;
 7
               (26) Furethidine;
               (27) Hydroxpethidine;
 8
 9
               (28) Ketobemidone:
10
               (29) Levomoramide;
11
               (30) Levophenacylmorphan;
12
               (31) 3-Methylfentanyl
13
           (N-[3-methyl-1-(2-phenylethyl)-
14
           4-piperidyl] -N-phenylpropanamide);
15
               (31.1) 3-Methylthiofentanyl
16
           (N-[(3-methyl-1-(2-thienyl)ethyl-
17
           4-piperidinyl] -N-phenylpropanamide);
18
               (32) Morpheridine;
               (33) Noracymethadol;
19
20
               (34) Norlevorphanol;
21
               (35) Normethadone;
22
               (36) Norpipanone;
23
               (36.1) Para-fluorofentanyl
24
           (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-
25
           4-piperidinyl] propanamide);
               (37) Phenadoxone;
26
```

```
(38) Phenampromide;
1
 2
               (39) Phenomorphan;
               (40) Phenoperidine;
 3
               (41) Piritramide;
 4
 5
               (42) Proheptazine;
               (43) Properidine;
 6
 7
               (44) Propiram;
               (45) Racemoramide;
 8
 9
               (45.1) Thiofentanyl
10
           (N-phenyl-N-[1-(2-thienyl)ethyl-
11
          4-piperidinyl] -propanamide);
12
               (46) Tilidine;
13
               (47) Trimeperidine;
               (48) Beta-hydroxy-3-methylfentanyl (other name:
14
          N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-
15
16
          N-phenylpropanamide).
17
           (c) Unless specifically excepted or unless listed in
18
      another schedule, any of the following opium derivatives, its
      salts, isomers and salts of isomers, whenever the existence of
19
20
      such salts, isomers and salts of isomers is possible within the
21
      specific chemical designation:
22
               (1) Acetorphine;
23
               (2) Acetyldihydrocodeine;
24
               (3) Benzylmorphine;
25
               (4) Codeine methylbromide;
26
               (5) Codeine-N-Oxide;
```

```
1 (6) Cyprenorphine;
```

- 2 (7) Desomorphine;
- 3 (8) Diacetyldihydromorphine (Dihydroheroin);
- 4 (9) Dihydromorphine;
- 5 (10) Drotebanol;
- 6 (11) Etorphine (except hydrochloride salt);
- 7 (12) Heroin;
- 8 (13) Hydromorphinol;
- 9 (14) Methyldesorphine;
- 10 (15) Methyldihydromorphine;
- 11 (16) Morphine methylbromide;
- 12 (17) Morphine methylsulfonate;
- 13 (18) Morphine-N-Oxide;
- 14 (19) Myrophine;
- 15 (20) Nicocodeine;
- 16 (21) Nicomorphine;
- 17 (22) Normorphine;
- 18 (23) Pholcodine;
- 19 (24) Thebacon.
- 20 Unless specifically excepted or unless listed in 21 any material, compound, mixture, another schedule, 22 preparation which contains any quantity of the following 23 hallucinogenic substances, or which contains any of its salts, isomers and salts of isomers, whenever the existence of such 24 25 salts, isomers, and salts of isomers is possible within the 26 specific chemical designation (for the purposes of this

```
paragraph only, the term "isomer"
1
                                              includes the optical,
      position and geometric isomers):
2
 3
               (1) 3,4-methylenedioxyamphetamine
          (alpha-methyl, 3, 4-methylenedioxyphenethylamine,
 4
 5
          methylenedioxyamphetamine, MDA);
               (1.1) Alpha-ethyltryptamine
 6
          (some trade or other names: etryptamine;
 7
          MONASE; alpha-ethyl-1H-indole-3-ethanamine;
 8
 9
          3-(2-aminobutyl)indole; a-ET; and AET);
10
               (2) 3,4-methylenedioxymethamphetamine (MDMA);
11
               (2.1) 3,4-methylenedioxy-N-ethylamphetamine
12
          (also known as: N-ethyl-alpha-methyl-
13
          3,4 (methylenedioxy) Phenethylamine, N-ethyl MDA, MDE,
          and MDEA);
14
15
               (2.2) N-Benzylpiperazine (BZP);
16
               (3) 3-methoxy-4,5-methylenedioxyamphetamine, (MMDA);
17
               (4) 3,4,5-trimethoxyamphetamine (TMA);
18
               (5) (Blank);
19
               (6) Diethyltryptamine (DET);
               (7) Dimethyltryptamine (DMT);
20
               (8) 4-methyl-2,5-dimethoxyamphetamine (DOM, STP);
21
22
               (9) Ibogaine (some trade and other names:
23
          7-ethyl-6,6,beta,7,8,9,10,12,13-octahydro-2-methoxy-
          6,9-methano-5H-pyrido [1',2':1,2] azepino [5,4-b]
24
25
          indole; Tabernanthe iboga);
26
               (10) Lysergic acid diethylamide;
```

extracts);

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

(10.5) Salvia divinorum (meaning all parts of the plant presently classified botanically as Salvia divinorum, whether growing or not, the seeds thereof, any extract from any part of that plant, and every compound, manufacture, salts, isomers, and salts of isomers whenever the existence of such salts, isomers, and salts of isomers is possible within the specific chemical designation, derivative, mixture, or preparation of that plant, its seeds or

- (11) 3,4,5-trimethoxyphenethylamine (Mescaline);
- (12) Peyote (meaning all parts of the plant presently classified botanically as Lophophora williamsii Lemaire, whether growing or not, the seeds thereof, any extract from any part of that plant, and every compound, manufacture, salts, derivative, mixture, or preparation of that plant, its seeds or extracts);
  - (13) N-ethyl-3-piperidyl benzilate (JB 318);
- 18 (14) N-methyl-3-piperidyl benzilate;
- 19 (14.1) N-hydroxy-3,4-methylenedioxyamphetamine 20 (also known as N-hydroxy-alpha-methyl-
- 3,4 (methylenedioxy) phenethylamine and N-hydroxy MDA);
- 22 (15) Parahexyl; some trade or other names: 23 3-hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-24 dibenzo (b,d) pyran; Synhexyl;
- 25 (16) Psilocybin;
- 26 (17) Psilocyn;

```
(18) Alpha-methyltryptamine (AMT);
1
 2
               (19) 2,5-dimethoxyamphetamine
           (2,5-dimethoxy-alpha-methylphenethylamine; 2,5-DMA);
 3
               (20) 4-bromo-2,5-dimethoxyamphetamine
 4
 5
           (4-bromo-2,5-dimethoxy-alpha-methylphenethylamine;
          4-bromo-2,5-DMA);
 6
 7
               (20.1) 4-Bromo-2,5 dimethoxyphenethylamine.
          Some trade or other names: 2-(4-bromo-
 8
          2,5-dimethoxyphenyl)-1-aminoethane;
 9
10
          alpha-desmethyl DOB, 2CB, Nexus;
11
               (21) 4-methoxyamphetamine
12
           (4-methoxy-alpha-methylphenethylamine;
13
          paramethoxyamphetamine; PMA);
14
               (22) (Blank);
               (23) Ethylamine analog of phencyclidine.
15
16
          Some trade or other names:
17
          N-ethyl-1-phenylcyclohexylamine,
          (1-phenylcyclohexyl) ethylamine,
18
          N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE;
19
20
               (24) Pyrrolidine analog of phencyclidine. Some trade
          or other names: 1-(1-phenylcyclohexyl) pyrrolidine, PCPy,
21
22
          PHP;
23
               (25) 5-methoxy-3,4-methylenedioxy-amphetamine;
               (26) 2,5-dimethoxy-4-ethylamphetamine
24
25
           (another name: DOET);
               (27) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine
26
```

1	(another name: TCPy);
2	(28) (Blank);
3	(29) Thiophene analog of phencyclidine (some trade
4	or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine;
5	2-thienyl analog of phencyclidine; TPCP; TCP);
6	(30) Bufotenine (some trade or other names:
7	3-(Beta-Dimethylaminoethyl)-5-hydroxyindole;
8	3-(2-dimethylaminoethyl)-5-indolol;
9	5-hydroxy-N,N-dimethyltryptamine;
10	N, N-dimethylserotonin; mappine);
11	(31) 1-Pentyl-3-(1-naphthoyl)indole
12	Some trade or other names: JWH-018;
13	(32) 1-Butyl-3-(1-naphthoyl)indole
14	Some trade or other names: $JWH-073$ ; -
15	(33) Any compound structurally derived from
16	3-(1-naphthoyl)indole or 1H-indol-3-yl-
17	(1-naphthyl) methane by substitution at the
18	nitrogen atom of the indole ring by alkyl, haloalkyl,
19	alkenyl, cycloalkylmethyl, cycloalkylethyl or
20	2-(4-morpholinyl)ethyl whether or not further
21	substituted in the indole ring to any extent, whether
22	or not substituted in the naphthyl ring to any extent;
23	(34) Any compound structurally derived from
24	3-(1-naphthoyl)pyrrole by substitution at the nitrogen
25	atom of the pyrrole ring by alkyl, haloalkyl, alkenyl,
26	cycloalkylmethyl, cycloalkylethyl or 2-

1	(4-morpholinyl)ethyl, whether or not further
2	substituted in the pyrrole ring to any extent, whether
3	or not substituted in the naphthyl ring to any extent;
4	(35) Any compound structurally derived from
5	1-(1-naphthylmethyl)indene by substitution
6	at the 3-position of the indene ring by alkyl, haloalkyl,
7	alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-
8	(4-morpholinyl)ethyl whether or not further
9	substituted in the indene ring to any extent, whether
10	or not substituted in the naphthyl ring to any extent;
11	(36) Any compound structurally derived from
12	3-phenylacetylindole by substitution at the
13	nitrogen atom of the indole ring with alkyl, haloalkyl,
14	alkenyl, cycloalkylmethyl, cycloalkylethyl or 2-
15	(4-morpholinyl)ethyl, whether or not further
16	substituted in the indole ring to any extent, whether
17	or not substituted in the phenyl ring to any extent;
18	(37) Any compound structurally derived from
19	2-(3-hydroxycyclohexyl)phenol by substitution
20	at the 5-position of the phenolic ring by alkyl,
21	haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl
22	or 2-(4-morpholinyl)ethyl, whether or not substituted
23	in the cyclohexyl ring to any extent.
24	(e) Unless specifically excepted or unless listed in
25	another schedule, any material, compound, mixture, or
26	preparation which contains any quantity of the following

24

25

26

1	substances having a depressant effect on the central nervous
2	system, including its salts, isomers, and salts of isomers
3	whenever the existence of such salts, isomers, and salts of
4	isomers is possible within the specific chemical designation:
5	(1) mecloqualone;
6	(2) methaqualone; and
7	(3) gamma hydroxybutyric acid.
8	(f) Unless specifically excepted or unless listed in
9	another schedule, any material, compound, mixture, or
10	preparation which contains any quantity of the following
11	substances having a stimulant effect on the central nervous
12	system, including its salts, isomers, and salts of isomers:
13	(1) Fenethylline;
14	(2) N-ethylamphetamine;
15	(3) Aminorex (some other names:
16	2-amino-5-phenyl-2-oxazoline; aminoxaphen;
17	4-5-dihydro-5-phenyl-2-oxazolamine) and its
18	salts, optical isomers, and salts of optical isomers;
19	(4) Methcathinone (some other names:
20	2-methylamino-1-phenylpropan-1-one;
21	<pre>Ephedrone; 2-(methylamino)-propiophenone;</pre>
22	alpha-(methylamino)propiophenone; N-methylcathinone;
23	methycathinone; Monomethylpropion; UR 1431) and its

salts, optical isomers, and salts of optical isomers;

(5) Cathinone (some trade or other names:

2-aminopropiophenone; alpha-aminopropiophenone;

```
2-amino-1-phenyl-propanone; norephedrone);
1
 2
              (6) N, N-dimethylamphetamine (also known as:
          N, N-alpha-trimethyl-benzeneethanamine;
 3
 4
          N, N-alpha-trimethylphenethylamine);
 5
              (7) (+ or -) cis-4-methylaminorex ((+ or -) cis-
          4,5-dihydro-4-methyl-4-5-phenyl-2-oxazolamine).
 6
7
          (g) Temporary listing of substances subject to emergency
      scheduling. Any material, compound, mixture, or preparation
8
 9
      that contains any quantity of the following substances:
10
              (1) N-[1-benzyl-4-piperidyl]-N-phenylpropanamide
11
          (benzylfentanyl), its optical isomers, isomers, salts,
12
          and salts of isomers;
13
              (2) N-[1(2-thienyl)]
         methyl-4-piperidyl] -N-phenylpropanamide (thenylfentanyl),
14
         its optical isomers, salts, and salts of isomers.
15
16
      (Source: P.A. 95-239, eff. 1-1-08; 95-331, eff. 8-21-07;
17
      96-347, eff. 1-1-10; 96-1285, eff. 1-1-11.)
```